

Clean Version Of The Pending Claims Under 37 C.F.R. § 1.121(c)(3):

Claims 1-42 now pending, are submitted below in accordance with 37 C.F.R. §1.121(c)(3), which presents a clean version of the entire set of pending claims.

1. (Once Amended) A method comprising:

identifying, in response to a search query, first multimedia objects having an associated keyword that matches a keyword in the search query and second multimedia objects that have content features similar to those of the first multimedia objects;

presenting the first and second multimedia objects to a user;

monitoring feedback from the user as to which of the first and second multimedia objects are relevant to the search query; and

annotating one or more of the multimedia objects, which are deemed relevant by the user, with the keyword.

2. A method as recited in claim 1, further comprising:

maintaining associations between the keywords and the multimedia objects, the associations being weighted to indicate how relevant the keywords are to the multimedia objects; and

adjusting the weights of the associations based on the user's feedback.

3. A method as recited in claim 2, wherein the adjusting comprises

increasing a weight of an association between the keyword and a particular multimedia object that is deemed relevant by the user.

1 4. A method as recited in claim 2, wherein the adjusting comprises
2 decreasing a weight of an association between the keyword and a particular
3 multimedia object that is deemed irrelevant by the user.

4
5 5. A method as recited in claim 4, further comprising removing the
6 keyword from the particular multimedia object in an event that the weight is less
7 than a threshold value.

8
9 6. A method as recited in claim 1, further comprising training how the
10 first and second multimedia objects are identified based on the user's feedback.

11
12 7. A method as recited in claim 1, further comprising refining the
13 search to identify additional multimedia objects that contain content features
14 similar to those of the multimedia objects indicated by the user as being relevant.

15
16 8. A method as recited in claim 1, wherein the multimedia objects
17 comprise one of digital images, video objects, and audio objects.

18
19 9. A computer readable medium having computer-executable
20 instructions that, when executed on a processor, perform the method as recited in
21 claim 1.

22
23 10. A method comprising:
24
25

1 iteratively retrieving multimedia objects from a database and monitoring
2 feedback from a user as to whether the multimedia objects are relevant to a
3 keyword in a search query; and

4 annotating the multimedia objects based on the user's feedback, with the
5 keyword.

6
7 **11.** A method as recited in claim 10, wherein the retrieving comprises
8 using content-based information retrieval to retrieve the multimedia objects.
9

10 **12.** A method as recited in claim 10, wherein the retrieving comprises
11 using both content-based information retrieval and semantic-based information
12 retrieval to retrieve the multimedia objects.
13

14 **13.** A method as recited in claim 10, wherein the monitoring comprises
15 monitoring both feature-based relevance feedback and semantic-based relevance
16 feedback.
17

18 **14.** A method as recited in claim 10, wherein the annotating is hidden
19 from the user.
20

21 **15.** A method as recited in claim 10, wherein the annotating comprises:
22 in an event that a particular multimedia object is deemed relevant by the
23 user and is not yet annotated with the keyword, adding the keyword to the
24 particular multimedia object; and
25

1 in an event that the particular multimedia object is deemed relevant by the
2 user and is already annotated with the keyword, strengthening an association
3 between the keyword and the particular multimedia object.
4

5 **16.** A method as recited in claim 10, wherein the annotating comprises:

6 in an event that a particular multimedia object is deemed irrelevant by the
7 user and is already annotated with the keyword, weakening an association between
8 the keyword and the particular multimedia object.
9

10 **17.** A computer readable medium having computer-executable
11 instructions that, when executed on a processor, perform the method as recited in
12 claim 10.
13

14 **18.** A method comprising:

15 retrieving multimedia objects according to a content-based retrieval
16 process;

17 presenting the multimedia objects to a user;

18 monitoring feedback from the user as to which of the multimedia objects
19 are relevant; and

20 annotating one or more of the multimedia objects based on the user's
21 feedback, with a keyword.
22

23 **19.** A method as recited in claim 18, wherein the monitoring comprises
24 monitoring both feature-based relevance feedback and semantic-based relevance
25 feedback.

1
2 **20.** A method as recited in claim 18, wherein the annotating is hidden
3 from the user.
4

5 **21.** A method as recited in claim 18, wherein the annotating comprises:
6 in an event that a particular multimedia object is deemed relevant by the
7 user and not yet annotated with the keyword, adding the keyword to the particular
8 multimedia object; and
9

10 in an event that the particular multimedia object is deemed relevant by the
11 user and is already annotated with the keyword, strengthening an association
12 between the keyword and the particular multimedia object.
13

14 **22.** A method as recited in claim 18, wherein the annotating comprises:
15 in an event that a particular multimedia object is deemed irrelevant by the
16 user and is already annotated with the keyword, weakening an association between
17 the keyword and the particular multimedia object.
18

19 **23.** A method as recited in claim 18, wherein the annotating comprises:
20 in an event that a particular multimedia object is deemed irrelevant by the
21 user and is already annotated with the keyword, removing the keyword from the
22 particular multimedia object.
23

24 **24.** A computer readable medium having computer-executable
25 instructions that, when executed on a processor, perform the method as recited in
claim 18.

1
2 **25.** A method comprising:

3 maintaining associations between keywords and multimedia objects, the
4 associations being weighted to indicate how relevant the keywords are to the
5 multimedia objects; and

6 retrieving a set of one or more multimedia objects for presentation to a user;
7 monitoring feedback from the user as to which of the multimedia objects
8 are relevant; and

9 adjusting the weights of the associations based on the user's feedback.
10

11 **26.** A method as recited in claim 25, wherein the retrieving comprises
12 using content-based information retrieval to retrieve the multimedia objects.
13

14 **27.** A method as recited in claim 25, wherein the retrieving comprises
15 using both content-based information retrieval and semantic-based information
16 retrieval to retrieve the multimedia objects.
17

18 **28.** A method as recited in claim 25, wherein the monitoring comprises
19 capturing both feature-based relevance feedback and semantic-based relevance
20 feedback.
21

22 **29.** A method as recited in claim 25, wherein the adjusting comprises
23 increasing the weights of the associations between the keywords and the
24 multimedia objects that are deemed relevant by the user.
25

1 30. A method as recited in claim 25, wherein the adjusting comprises
2 decreasing the weights of the associations between the keywords and the
3 multimedia objects that are deemed irrelevant by the user.

4
5 31. A computer readable medium having computer-executable
6 instructions that, when executed on a processor, perform the method as recited in
7 claim 25.

8
9 32. A system comprising:
10 an information retrieval unit to retrieve multimedia objects from a database
11 based on a search query;
12 a relevance feedback unit to capture a user's feedback as to whether the
13 multimedia objects are relevant to the search query; and
14 an annotation unit to annotate, with a keyword, the multimedia objects
15 based on the user's feedback.

16
17 33. A system as recited in claim 32, wherein the search query comprises
18 a keyword-based search query having one or more keywords.

19
20 34. A system as recited in claim 32, wherein the search query comprises
21 a content-based search query having one or more content features.

22
23 35. A system as recited in claim 32, wherein the information retrieval
24 unit employs both content-based information retrieval and semantic-based
25 information retrieval.

1
2 **36.** A system as recited in claim 32, wherein the information retrieval
3 unit comprises:

4 a query handler to handle both keyword-based queries having one or more
5 search keywords and content-based queries having one or more content features of
6 a multimedia object; and

7 a feature and semantic matcher to identify at least one of (1) first
8 multimedia objects having keywords that match the search keywords from a
9 keyword-based query, and (2) second multimedia objects having content features
10 similar to the content features of a content-based query.

11
12 **37.** A system as recited in claim 32, wherein the relevance feedback unit
13 employs both feature-based relevance feedback and semantic-based relevance
14 feedback.

15
16 **38.** A system as recited in claim 32, wherein:
17 the search query comprises a keyword-based search query having at least
18 one keyword; and

19 in an event that a particular multimedia object is deemed relevant by the
20 user and is not yet annotated with the keyword, the annotation unit adds the
21 keyword to the particular multimedia object.

22
23 **39.** A system as recited in claim 32, wherein:
24 the search query comprises a keyword-based search query having at least
25 one keyword; and

1 in an event that a particular multimedia object is deemed relevant by the
2 user and is already annotated with the keyword, the annotation unit strengthens an
3 association between the keyword and the particular multimedia object.

4
5 **40.** A system as recited in claim 32, wherein:

6 the search query comprises a keyword-based search query having at least
7 one keyword; and

8 in an event that a particular multimedia object is deemed irrelevant by the
9 user and is already annotated with the keyword, weakening an association between
10 the keyword and the particular multimedia object.

11
12 **41.** A system as recited in claim 32, wherein:

13 the search query comprises a keyword-based search query having at least
14 one keyword; and

15 in an event that a particular multimedia object is deemed irrelevant by the
16 user and is already annotated with the keyword, removing the keyword from the
17 particular multimedia object.

18
19 **42.** An image retrieval system as recited in claim 32, wherein the
20 relevance feedback unit comprises a feedback analyzer to train the system based on
21 the user's feedback.